

```
<!doctype html>

<!-- simplified doctype works for all previous versions of HTML as well -->

<!-- Paul Irish's technique for targeting IE, modified to only target IE6, applied to the html
element instead of body -->

<!--[if lt IE 7 ]><html lang="en"><![endif]-->

<!--[if (gt IE 6)|!(IE)]><!-->

<html lang="en" class="no-js">

<!--<![endif]-->

<head>

<meta charset="utf-8">

<title>Glowing Tabs</title>

<style>

html, body, div, span, applet, object, iframe, code, h1, h2, h3, h4, h5, h6, p, blockquote, pre, a,
abbr, acronym, address, big, cite, del, dfn, font, img, ins, kbd, q, s, samp, small, strike, sub, sup,
tt, var, dd, dl, dt, li, ol, ul, fieldset, form, label, legend, table, caption, tbody, tfoot, thead, tr, th,
td {

    margin: 0;

    padding: 0;

    border: 0;

    font-weight: normal;

    font-style: normal;

    font-family: inherit;

    text-align: left;

}

table {

    border-collapse: collapse;

    border-spacing: 0;

}

ul {
```

```
list-style: none;
}
q:before, q:after, blockquote:before, blockquote:after {
  content: "";
}
h1 {
  color: #fff;
  text-align: center;
  padding: 80px 0 30px 0;
}
h2 {
  text-align: center;
  padding: 40px 0 0 0;
  width: 75%;
  margin: 0 auto;
}
body {
  background: #131925;
}
ol {
  list-style: decimal;
  font-size: 24px;
  width: 400px;
  padding: 30px 0 0 60px;
  margin: 0 auto;
}
ul#navigation {
```

```
height: 36px;
padding: 20px 20px 0 30px;
width: 904px;
margin: 0 auto;
position: relative;
overflow: hidden;
}
ul#navigation li {
  -webkit-border-radius: 6px;
  -moz-border-radius: 6px;
  border-radius: 6px;
  float: left;
  width: 110px;
  margin: 0 10px 0 0;
  background-color: #2B477D;
  border: solid 1px #415F9D;
  position: relative;
  z-index: 1;
}
ul#navigation li.selected {
  z-index: 3;
}
ul#navigation li.shadow {
  width: 100%;
  height: 2px;
  position: absolute;
  bottom: -3px;
```

```
left: 0;

border: none;

background: none;

z-index: 2;

-webkit-box-shadow: #111 0 -2px 6px;

-moz-box-shadow: #111 0 -2px 6px;

box-shadow: #111 0 -2px 6px;

}

ul#navigation li a:link, ul#navigation li a:visited {

-webkit-border-radius: 6px;

-moz-border-radius: 6px;

border-radius: 6px;

display: block;

text-align: center;

width: 110px;

height: 40px;

line-height: 36px;

font-family: Arial, Helvetica, sans-serif;

text-transform: uppercase;

text-decoration: none;

font-size: 13px;

font-weight: bold;

color: #fff;

letter-spacing: 1px;

outline: none;

float: left;

background: #2B477D;
```

```
-webkit-transition: background-color 0.3s linear;
-moz-transition: background-color 0.3s linear;
-o-transition: background-color 0.3s linear;
}
ul#navigation li a:hover {
    background-color: #5a87dd;
}
ul#navigation li.selected a:link, ul#navigation li.selected a:visited {
    color: #2B477D;
    border: solid 1px #fff;
    -webkit-transition: background-color 0.2s linear;
    background: -moz-linear-gradient(top center, #d1d1d1, #f2f2f2 80%) repeat scroll 0 0 #f2f2f2;
    background: -webkit-gradient(linear, left bottom, left top, color-stop(.2, #f2f2f2), color-stop(.8, #d1d1d1));
    background-color: #f2f2f2;
}
#content {
    width: 850px;
    background: #f2f2f2;
    padding: 0 0 50px 0;
    margin: 0 auto;
}
</style>
<script type="text/javascript"
src="http://ajax.googleapis.com/ajax/libs/jquery/1.2.6/jquery.min.js"></script>
</head>
<body>
<div style="width: 850px; margin: 0 auto 0 auto;">
```

```
<h1>CSS3 Glow Tabs with Box Shadow</h1>
```

```
<ul id="navigation">
```

```
<li class="one"><a href="#">Details</a></li>
```

```
<li class="two"><a href="#">Schedule</a></li>
```

```
<li class="three selected"><a href="#">Speakers</a></li>
```

```
<li class="four"><a href="#">Sponsors</a></li>
```

```
<li class="five"><a href="#">Register</a></li>
```

```
<li class="shadow"></li>
```

```
</ul>
```

```
<div id="content">
```

```
<h2>The tabs in this demo are image-less tabs<br />with 4 different CSS3  
enhancements:</h2>
```

```
<ol>
```

```
<li>Rounded Corners (border-radius)</li>
```

```
<li>Box Shadow (bottom of inactive tabs)</li>
```

```
<li>Transitions (the glow on hover)</li>
```

```
<li>Gradients (the active tab)</li>
```

```
</ol>
```

```
<h2>CSS Transitions work in Chrome, Safari, Opera 10.5 & Firefox 3.7</h2>
```

```
</div>
```

```
</div>
```

```
<script>
$(document).ready(function(){
  $("ul#navigation li a").click(function() {
    $("ul#navigation li").removeClass("selected");
    $(this).parents().addClass("selected");
    return false;
  });
});
</script>
</body>
</html>
```